

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| Installation | Open Conf. Inspection Date | Inspection Type | Violation Type | Standard Cited | Description | NAVOSH Reference | Abatement Date | Max Private Sector Penalty |
|---|----------------------------|-----------------|----------------|-----------------------|--|---|--|----------------------------|
| United States Department Of The Navy, Naval Facilities Engineering Command Naval Submarine Base New London Groton, CT 06439 | 10/18/2013 | Complaint | Serious | 1910.269(a)(2)(i) | Electric Power Generation, Transmission, and Distribution. "General." "Training." Employees shall be trained in and familiar with the safety-related work practices, safety procedures, and other safety requirements in this section that pertain to their respective job assignments. Employees shall also be trained in and familiar with any other safety practices, including applicable emergency procedures (such as pole top and manhole rescue), that are not specifically addressed by this section but that are related to their work and are necessary for their safety. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 6, Training; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions | 12/31/2014 Close Case Date: (OPEN) ; Informal Settlement Date: 04/17/2014 | \$7,000 |
| United States Department Of The Navy, Naval Facilities Engineering Command Naval Submarine Base New London Groton, CT 06439 | 10/18/2013 | Complaint | Serious | 1910.269(a)(2)(ii)(D) | Electric Power Generation, Transmission, and Distribution. "General." "Training." Qualified employees shall also be trained and competent in: The proper use of the special precautionary techniques, personal protective equipment, insulating and shielding materials, and insulated tools for working on or near exposed energized parts of electric equipment. Note: For the purposes of this section, a person must have this training in order to be considered a qualified person. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 6, Training; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions | 12/31/2014 Close Case Date: (OPEN) ; Informal Settlement Date: 04/07/2014 | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|---|------------|-----------|---------|----------------|--|--|---|---------|
| United States Department Of The Navy, Naval Facilities Engineering Command Naval Submarine Base New London Groton, CT 06439 | 10/18/2013 | Complaint | Serious | 1910.303(b)(1) | General requirements. Examination, installation, and use of equipment -- Examination. Electric equipment shall be free from recognized hazards that are likely to cause death or serious physical harm to employees. Safety of equipment shall be determined using the following considerations: b(1)(i) Suitability for installation and use in conformity with the provisions of this subpart;; Note to paragraph (b)(1)(i) of this section: Suitability of equipment for an identified purpose may be evidenced by listing or labeling for that identified purpose; b(1)(ii) Mechanical strength and durability, including, for parts designed to enclose and protect other equipment, the adequacy of the protection thus provided; b(1)(iii) Wire-bending and connection space; b(1)(iv) Electrical insulation; b(1)(v) Heating effects under all conditions of use; b(1)(vi) Arcing effects; (b)(1)(vii) Classification by type, size, voltage, current capacity, and specific use; and b(1)(viii) Other factors that contribute to the practical safeguarding of persons using or likely to come in contact with the equipment. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards: Chapter 10, Employee Reports of Unsafe/Unhealthful Working Condiitons | 12/31/2013 Close Case Date: (OPEN) ; Informal Settlement Date: 04/07/2014 | \$7,000 |
| United States Department Of The Navy, Naval Facilities Engineering Command Naval Submarine Base New London Groton, CT 06439 | 10/18/2013 | Complaint | Serious | 1910.303(h)(3) | General. Over 600 volts, nominal -- Work space about equipment. Sufficient space shall be provided and maintained about electric equipment to permit ready and safe operation and maintenance of such equipment. Where energized parts are exposed, the minimum clear work space may not be less than 1.98 m (6.5 ft) high (measured vertically from the floor or platform) or less than 914 mm (3.0 ft) wide (measured parallel to the equipment). The depth shall be as required in paragraph (h)(5)(i) of this section. In all cases, the work space shall be adequate to permit at least a 90-degree opening of doors or hinged panels. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 10, Employee Reports of Unsafe/Unhealthful Workng Conditions | 12/31/2013 Close Case Date: (OPEN) ; Informal Settlement Date: 04/07/2014 | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|------------|---------|---------|---------------|--|--|---|---------|
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 3/24/2014 | Planned | Serious | 1910.36(g)(4) | Design and construction requirements for exit routes. An exit route must meet minimum height and width requirements. Objects that project into the exit route must not reduce the width of the exit route to less than the minimum width requirements for exit routes. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/15/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 03/24/2014 | Planned | Serious | 1910.37(b)(2) | Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each exit must be clearly visible and marked by a sign reading "Exit." | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/15/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 03/24/2014 | Planned | Serious | 1910.37(b)(5) | Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each doorway or passage along an exit access that could be mistaken for an exit must be marked "Not an Exit" or similar designation, or be identified by a sign indicating its actual use (e.g., closet). | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/15/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 03/24/2014 | Planned | Serious | 1910.212(b) | General requirements for all machines. Anchoring fixed machinery. Machines designed for a fixed location shall be securely anchored to prevent walking or moving. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/15/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|------------|---------|---------|----------------|---|--|---|---------|
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 03/24/2014 | Planned | Serious | 1910.213(c)(3) | Woodworking machinery requirements. Hand-fed rip saws. Each hand-fed circular rip saw shall be provided with nonkickback fingers or dogs so located as to oppose the thrust or tendency of the saw to pick up the material or to throw it back toward the operator. They shall be designed to provide adequate holding power for all the thicknesses of materials being cut. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/15/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 03/24/2014 | Planned | Serious | 1910.213(h)(4) | Woodworking machinery requirements. Radial saws. Installation shall be in such a manner that the front end of the unit will be slightly higher than the rear, so as to cause the cutting head to return gently to the starting position when released by the operator. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/15/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 03/24/2014 | Planned | Serious | 1910.215(a)(4) | Abrasive wheel machinery. General requirements. Work rests. On offhand grinding machines, work rests shall be used to support the work. They shall be of rigid construction and designed to be adjustable to compensate for wheel wear. Work rests shall be kept adjusted closely to the wheel with a maximum opening of one-eighth inch to prevent the work from being jammed between the wheel and the rest, which may cause wheel breakage. The work rest shall be securely clamped after each adjustment. The adjustment shall not be made with the wheel in motion. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/15/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|------------|---------|---------|--------------------|---|--|---|---------|
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 03/24/2014 | Planned | Serious | 1910.215(b)(9) | Abrasive wheel machinery. Guarding of abrasive wheel machinery. Exposure adjustment. Safety guards of the types described in Subparagraphs (3) and (4) of this paragraph, where the operator stands in front of the opening, shall be constructed so that the peripheral protecting member can be adjusted to the constantly decreasing diameter of the wheel. The maximum angular exposure above the horizontal plane of the wheel spindle as specified in paragraphs (b)(3) and (4) of this section shall never be exceeded, and the distance between the wheel periphery and the adjustable tongue or the end of the peripheral member at the top shall never exceed one-fourth inch. (See Figures O-18, O-19, O-20, O-21, O-22, and O-23.) | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/15/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 03/24/2014 | Planned | Serious | 1910.303(b)(2) | General requirements. Examination, installation, and use of equipment -- Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards | Citation issuance Date: 6/25/2014 Abatement Date: 7/15/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 03/24/2014 | Planned | Serious | 1910.305(b)(1)(ii) | Wiring methods, components, and equipment for general use. Cabinets, boxes, and fittings -- Conductors entering boxes, cabinets, or fittings. Unused openings in cabinets, boxes, and fittings shall be effectively closed. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards | Citation issuance Date: 6/25/2014 Abatement Date: 7/15/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|------------|---------|---------|----------------|--|--|---|---------|
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 03/24/2014 | Planned | Serious | 1910.304(g)(5) | Wiring design and protection. Grounding. Grounding path. The path to ground from circuits, equipment, and enclosures shall be permanent, continuous, and effective. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/15/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29906 | 03/24/2014 | Planned | Serious | 1910.37(b)(2) | Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each exit must be clearly visible and marked by a sign reading "Exit." | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/26/2014 Abatement Date: 7/16/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29906 | 03/24/2014 | Planned | Serious | 1910.37(b)(5) | Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each doorway or passage along an exit access that could be mistaken for an exit must be marked "Not an Exit" or similar designation, or be identified by a sign indicating its actual use (e.g., closet). | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/26/2014 Abatement Date: 7/16/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29906 | 03/24/2014 | Planned | Serious | 1910.106(g)(9) | Flammable liquids. "Service stations" - "Fire control." Each service station shall be provided with at least one fire extinguisher having a minimum approved classification of 6 B, C, located so that an extinguisher, will be within 75 feet of each pump, dispenser, underground fill pipe opening, and lubrication or service room. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards, Chapter 7, Hazardous Material Control and Management (HMC & M); Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/26/2014 Abatement Date: 7/16/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|------------|---------|---------|-----------------|---|--|---|---------|
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29906 | 03/24/2014 | Planned | Serious | 1910.212(b) | General requirements for all machines. Anchoring fixed machinery. Machines designed for a fixed location shall be securely anchored to prevent walking or moving. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/26/2014 Abatement Date: 7/16/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29906 | 03/24/2014 | Planned | Serious | 1910.213(c)(3) | Woodworking machinery requirements. Hand-fed ripaws. Each hand-fed circular ripaw shall be provided with nonkickback fingers or dogs so located as to oppose the thrust or tendency of the saw to pick up the material or to throw it back toward the operator. They shall be designed to provide adequate holding power for all the thicknesses of materials being cut. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/26/2014 Abatement Date: 7/16/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29906 | 03/24/2014 | Planned | Serious | 1910.213 (h)(4) | Woodworking machinery requirements. Radial saws. Installation shall be in such a manner that the front end of the unit will be slightly higher than the rear, so as to cause the cutting head to return gently to the starting position when released by the operator. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/26/2014 Abatement Date: 7/16/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|------------|---------|---------|----------------|---|--|---|---------|
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29906 | 03/24/2014 | Planned | Serious | 1910.215(a)(4) | Abrasive wheel machinery. General requirements. Work rests. On offhand grinding machines, work rests shall be used to support the work. They shall be of rigid construction and designed to be adjustable to compensate for wheel wear. Work rests shall be kept adjusted closely to the wheel with a maximum opening of one-eighth inch to prevent the work from being jammed between the wheel and the rest, which may cause wheel breakage. The work rest shall be securely clamped after each adjustment. The adjustment shall not be made with the wheel in motion. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/26/2014 Abatement Date: 7/16/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29906 | 03/24/2014 | Planned | Serious | 1910.215(b)(9) | Abrasive wheel machinery. Guarding of abrasive wheel machinery. Exposure adjustment. Safety guards of the types described in Subparagraphs (3) and (4) of this paragraph, where the operator stands in front of the opening, shall be constructed so that the peripheral protecting member can be adjusted to the constantly decreasing diameter of the wheel. The maximum angular exposure above the horizontal plane of the wheel spindle as specified in paragraphs (b)(3) and (4) of this section shall never be exceeded, and the distance between the wheel periphery and the adjustable tongue or the end of the peripheral member at the top shall never exceed one-fourth inch. (See Figures O-18, O-19, O-20, O-21, O-22, and O-23.) | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/26/2014 Abatement Date: 7/16/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|------------|---------|-------|---------------------|---|--|---|---------|
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29906 | 03/24/2014 | Planned | Other | 1910.303(g)(1)(iii) | General requirements. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment. At least one entrance of sufficient area shall be provided to give access to the working space about electric equipment. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards | Citation issuance Date: 6/26/2014 Abatement Date: 7/16/2014 Close Case Date: 7/28/2014 (CLOSED) | \$1,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29906 | 3/24/2014 | Planned | Other | 1910.1200(f)(6)(ii) | Hazard Communication. Labels and other forms of warning— Workplace labeling. Except as provided in paragraphs (f)(7) and (f)(8) of this section, the employer shall ensure that each container of hazardous chemicals in the workplace is labeled, tagged or marked with either: Product identifier and words, pictures, symbols, or combination thereof, which provide at least general information regarding the hazards of the chemicals, and which, in conjunction with the other information immediately available to employees under the hazard communication program, will provide employees with the specific information regarding the physical and health hazards of the hazardous chemical. | OPNAVINST 5100.23G, Chapter 2, Responsibilities, Chapter 5, Prevention and Control of Workplace Hazards, Chapter 7, Hazardous Material control and Management (HMC & M); Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/02/2014 Close Case Date: 7/28/2014 (CLOSED) | \$1,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29906 | 3/24/2014 | Planned | Other | 1910.1200(h)(3)(iv) | Hazard Communication. Employee information and training. Training. Employee training shall include at least: The details of the hazard communication program developed by the employer, including an explanation of the labels received on shipped containers and the workplace labeling system used by their employer; the safety data sheet, including the order of information and how employees can obtain and use the appropriate hazard information. | OPNAVINST 5100.23G, Chapter 2, Responsibilities, Chapter 5, Prevention and Control of Workplace Hazards, Chapter 6, Training Chapter 7, Hazardous Material control and Management (HMC & M); Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/07/2014 Close Case Date: 7/28/2014 (CLOSED) | \$1,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|-----------|---------|---------|----------------------|---|--|---|---------|
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 3/24/2014 | Planned | Serious | 1910.151(c) | Medical services and first aid. Where the eyes or body of any person may be exposed to injurious corrosive materials, suitable facilities for quick drenching or flushing of the eyes and body shall be provided within the work area for immediate emergency use. | OPNAVINST 5100.23G, Chapter 2, Responsibilities, Chapter 5, Prevention and Control of Workplace Hazards, Chapter 6, Training, Chapter 7, Hazardous Material control and Management (HMC & M), Chapter 19, Sight; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials Conservation, Chapter 20, Personal Protective Equipment | Citation issuance Date: 6/25/2014 Abatement Date: 7/03/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 3/24/2014 | Planned | Serious | 1910.1001(j)(3)(iii) | Asbestos. Communication of hazards to employees -- Introduction. Duties of employers and building and facility owners. Building and facility owners shall inform employers of employees, and employers shall inform employees who will perform housekeeping activities in areas which contain ACM and/or PACM of the presence and location of ACM and/or PACM in such areas which may be contacted during such activities. | OPNAVINST 5100.23G, Chapter 2, Responsibilities, Chapter 6, Training, Chapter 8, Occupational Health, Chapter 17 Asbestos: Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/03/2014 Close Case Date: 7/28/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|-----------|---------|-------|---------------------|--|--|---|---------|
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 3/24/2014 | Planned | Other | 1910.1001(j)(5)(i) | Asbestos. Communication of hazards to employees -- Introduction. Duties of employers and building and facility owners. Warning labels— Labeling. Labels shall be affixed to all raw materials, mixtures, scrap, waste, debris, and other products containing asbestos fibers, or to their containers. When a building owner or employer identifies previously installed ACM and/or PACM, labels or signs shall be affixed or posted so that employees will be notified of what materials contain ACM and/or PACM. The employer shall attach such labels in areas where they will clearly be noticed by employees who are likely to be exposed, such as at the entrance to mechanical room/areas. Signs required by paragraph (j) of this section may be posted in lieu of labels so long as they contain the information required for labeling. | OPNAVINST 5100.23G, Chapter 2, Responsibilities, Chapter 6, Training, Chapter 8, Occupational Health, Chapter 17 Asbestos; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/03/2014 Close Case Date: 7/28/2014 (CLOSED) | \$1,000 |
| Dept Of The Navy 1 Pinckney Blvd. Beaufort, SC 29902 | 3/24/2014 | Planned | Other | 1910.1200(f)(6)(ii) | Hazard Communication. Labels and other forms of warning— Workplace labeling. Except as provided in paragraphs (f)(7) and (f)(8) of this section, the employer shall ensure that each container of hazardous chemicals in the workplace is labeled, tagged or marked with either: Product identifier and words, pictures, symbols, or combination thereof, which provide at least general information regarding the hazards of the chemicals, and which, in conjunction with the other information immediately available to employees under the hazard communication program, will provide employees with the specific information regarding the physical and health hazards of the hazardous chemical. | OPNAVINST 5100.23G, Chapter 2, Responsibilities, Chapter 5, Prevention and Control of Workplace Hazards, Chapter 7, Hazardous Material control and Management (HMC & M); Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/25/2014 Abatement Date: 7/02/2014 Close Case Date: 7/28/2014 (CLOSED) | \$1,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|-----------|-----------|---------|----------------|---|--|---|---------|
| Navfac Portsmouth Naval Shipyard Building 154 Kittery, ME 03904 | 3/24/2014 | Complaint | Serious | 1910.24(f) | Fixed industrial stairs. "Stair treads." All treads shall be reasonably slip-resistant and the nosings shall be of nonslip finish. Welded bar grating treads without nosings are acceptable providing the leading edge can be readily identified by personnel descending the stairway and provided the tread is serrated or is of definite nonslip design. Rise height and tread width shall be uniform throughout any flight of stairs including any foundation structure used as one or more treads of the stairs. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions | Citation issuance Date: 5/08/2014 Abatement Date: 6/04/2014; Informal Settlement Date: 5/21/2014 Close Case Date: 8/26/2014 (CLOSED) | \$7,000 |
| Navfac Portsmouth Naval Shipyard Building 154 Kittery, ME 03904 | 3/24/2014 | Complaint | Serious | 1910.101(b) | Compressed gases (general requirements). "Compressed gases." The in-plant handling, storage, and utilization of all compressed gases in cylinders, portable tanks, rail tankcars, or motor vehicle cargo tanks shall be in accordance with Compressed Gas Association Pamphlet P-1-1965, which is incorporated by reference as specified in Sec. 1910.6. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions | Citation issuance Date :5/08/2014 Abatement Date: 6/04/2014 Informal Settlement Date: 5/21/2014 Close Case Date: 8/26/2014 (CLOSED) | \$7,000 |
| Navfac Portsmouth Naval Shipyard Building 154 Kittery, ME 03904 | 3/24/2014 | Complaint | Serious | 1910.157(c)(1) | Portable fire extinguishers. General requirements. The employer shall provide portable fire extinguishers and shall mount, locate and identify them so that they are readily accessible to employees without subjecting the employees to possible injury. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions | Citation issuance Date:5/08/2014 Abatement Date: 5/16/2014 Informal Settlement Date: 5/21/2014 Close Case Date: 08/26/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|-----------|-----------|---------|---------------------|--|---|---|---------|
| Navfac Portsmouth Naval Shipyard Building 154 Kittery, ME 03904 | 3/24/2014 | Complaint | Serious | 1910.157(e)(3) | Portable fire extinguishers. Inspection, maintenance and testing. The employer shall assure that portable fire extinguishers are subjected to an annual maintenance check. Stored pressure extinguishers do not require an internal examination. The employer shall record the annual maintenance date and retain this record for one year after the last entry or the life of the shell, whichever is less. The record shall be available to the Assistant Secretary upon request. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions | Citation issuance Date:5/08/2014 Abatement Date: 5/16/2014 Informal Settlement Date: 5/21/2014 Close Case Date: 08/26/2014 (CLOSED) | \$7,000 |
| Navfac Portsmouth Naval Shipyard Building 154 Kittery, ME 03904 | 3/24/2014 | Complaint | Serious | 1910.253(b)(4)(iii) | Oxygen-fuel gas welding and cutting. Cylinders and containers - Oxygen storage. Oxygen cylinders in storage shall be separated from fuel-gas cylinders or combustible materials (especially oil or grease), a minimum distance of 20 feet (6.1 m) or by a noncombustible barrier at least 5 feet (1.5 m) high having a fire-resistance rating of at least one-half hour. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC & M) Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions | Citation issuance Date:5/08/2014 Abatement Date: 5/16/2014 Informal Settlement Date: 5/21/2014 Close Case Date: 08/26/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|-----------|-----------|---------|-------------------|--|--|---|---------|
| Navfac Portsmouth Naval Shipyard Building 154 Kittery, ME 03904 | 3/24/2014 | Complaint | Serious | 1910.303(g)(1)(i) | <p>General. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment. Working space for equipment likely to require examination, adjustment, servicing, or maintenance while energized shall comply with the following dimensions, except as required or permitted elsewhere in this subpart: (A) The depth of the working space in the direction of access to live parts may not be less than indicated in Table S-1. Distances shall be measured from the live parts if they are exposed or from the enclosure front or opening if they are enclosed; (B) The width of working space in front of the electric equipment shall be the width of the equipment or 762 mm (30 in.), whichever is greater. In all cases, the working space shall permit at least a 90-degree opening of equipment doors or hinged panels; and (C) The work space shall be clear and extend from the grade, floor, or platform to the height required by paragraph (g)(1)(vi) of this section. However, other equipment associated with the electrical installation and located above or below the electric equipment may extend not more than 153 mm (6 in.) beyond the front of the electric equipment.</p> | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions | <p>Citation issuance Date:5/08/2014 Abatement Date: 5/15/2014 Informal Settlement Date: 5/21/2014 Close Case Date: 08/26/2014 (CLOSED)</p> | \$7,000 |
|--|-----------|-----------|---------|-------------------|--|--|---|---------|

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|-----------|-----------|---------|---------------------|--|--|---|---------|
| Navfac Portsmouth Naval Shipyard Building 154 Kittery, ME 03904 | 3/24/2014 | Complaint | Serious | 1910.305(b)(1)(ii) | Wiring methods, components, and equipment for general use. Cabinets, boxes, and fittings -- Conductors entering boxes, cabinets, or fittings. Unused openings in cabinets, boxes, and fittings shall be effectively closed. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions | Citation issuance Date:5/08/2014 Abatement Date: 5/20/2014 Informal Settlement Date: 5/21/2014 Close Case Date: 08/26/2014 (CLOSED) | \$7,000 |
| Navfac Portsmouth Naval Shipyard Building 154 Kittery, ME 03904 | 3/24/2014 | Complaint | Other | 1910.1025(h)(1) | Lead. Housekeeping - Surfaces. All surfaces shall be maintained as free as practicable of accumulations of lead. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions; Chapter 21, Lead | Citation issuance Date:5/08/2014 Abatement Date: 8/01/2014 Informal Settlement Date: 5/21/2014 Close Case Date: 08/26/2014 (CLOSED) | \$1,000 |
| Navfac Portsmouth Naval Shipyard Building 154 Kittery, ME 03904 | 3/34/2014 | Complaint | Other | 1910.1025(h)(2)(ii) | Lead. Housekeeping - Cleaning floors. Shoveling, dry or wet sweeping, and brushing may be used only where vacuuming or other equally effective methods have been tried and found not to be effective. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 10, Employee Reports of Unsafe/Unhealthful Working Conditions; Chapter 21, Lead | Citation issuance Date:5/08/2014 Abatement Date: 6/04/2014 Informal Settlement Date: 5/21/2014 Close Case Date: 08/26/2014 (CLOSED) | \$1,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|---|----------|---------|---------|----------------|--|--|---|---------|
| Naval Exchange Bldg. 796, Reeves Blvd. Lemoore Naval Air Station, CA 93246 | 4/4/2014 | Planned | Serious | 1910.37(b)(4) | Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. If the direction of travel to the exit or exit discharge is not immediately apparent, signs must be posted along the exit access indicating the direction of travel to the nearest exit and exit discharge. Additionally, the line-of-sight to an exit sign must clearly be visible at all times. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/16//2014 Abatement Date: 7/10/2014 Informal Settlement Date: 7/15/2014 Close Case Date: 8/11/2014 (CLOSED) | \$7,000 |
| Naval Exchange Bldg. 796, Reeves Blvd. Lemoore Naval Air Station, CA 93246 | 4/4/2014 | Planned | Serious | 1910.37(b)(5) | Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each doorway or passage along an exit access that could be mistaken for an exit must be marked "Not an Exit" or similar designation, or be identified by a sign indicating its actual use (e.g., closet). | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/16//2014 Abatement Date: 8/01/2014 Informal Settlement Date: 7/15/2014 Close Case Date: 8/11/2014 (CLOSED) | \$7,000 |
| Naval Exchange Bldg. 796, Reeves Blvd. Lemoore Naval Air Station, CA 93246 | 4/4/2014 | Planned | Serious | 1910.178(a)(6) | Powered industrial trucks. General requirements. The user shall see that all nameplates and markings are in place and are maintained in a legible condition. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/16//2014 Abatement Date: 8/01/2014 Informal Settlement Date: 7/15/2014 Close Case Date: 8/11/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|---|----------|---------|---------|--------------------|---|--|---|---------|
| Naval Exchange Bldg. 796, Reeves Blvd. Lemoore Naval Air Station, CA 93246 | 4/4/2014 | Planned | Serious | 1910.304(f)(1)(iv) | Wiring design and protection. Overcurrent protection -- 600 volts, nominal, or less. The following requirements apply to overcurrent protection of circuits rated 600 volts, nominal, or less. Overcurrent devices shall be readily accessible to each employee or authorized building management personnel. These overcurrent devices may not be located where they will be exposed to physical damage or in the vicinity of easily ignitable material. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/16//2014 Abatement Date: 6/20/2014 Informal Settlement Date: 7/15/2014 Close Case Date: 8/11/2014 (CLOSED) | \$7,000 |
| Naval Exchange Bldg. 796, Reeves Blvd. Lemoore Naval Air Station, CA 93246 | 4/4/2014 | Planned | Serious | 1910.305(j)(4)(v) | Wiring methods, components, and equipment for general use. Equipment for general use -- Motors. This paragraph applies to motors, motor circuits, and controllers. The disconnecting means shall be readily accessible. If more than one disconnect is provided for the same equipment, only one need be readily accessible. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation issuance Date: 6/16//2014 Abatement Date: 6/20/2014 Informal Settlement Date: 7/15/2014 Close Case Date: 8/11/2014 (CLOSED) | \$7,000 |
| Naval Exchange Bldg. 796, Reeves Blvd. Lemoore Naval Air Station, CA 93246 | 4/4/2014 | Planned | Other | 1904.40(a) | Providing records to government representatives. Basic requirement. When an authorized government representative asks for the records you keep under part 1904, you must provide copies of the records within four (4) business hours. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; OPNAVINST 5102.1D, Chapter 3 Record Keeping and Reporting | Citation issuance Date: 6/16//2014 Abatement Date: 6/20/2014 Informal Settlement Date: 7/15/2014 Close Case Date: 8/11/2014 (CLOSED) | \$1,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|----------|---------|---------|----------------|---|--|---|---------|
| Navfac Lemoore - Naval Facilities Engineering Command Southwest Region Bldg. 750 Enterprise Ave. Lemoore Naval Air Station, CA 93246 | 4/7/2014 | Planned | Serious | 1910.37(b)(4) | Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. If the direction of travel to the exit or exit discharge is not immediately apparent, signs must be posted along the exit access indicating the direction of travel to the nearest exit and exit discharge. Additionally, the line-of-sight to an exit sign must clearly be visible at all times. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation Issuance Date: 5/30/2014 Abatement Date: 7/02/2014 Close Status Date: 7/25/2014 (CLOSED) | \$7,000 |
| Navfac Lemoore - Naval Facilities Engineering Command Southwest Region Bldg. 750 Enterprise Ave. Lemoore Naval Air Station, CA 93246 | 4/7/2014 | Planned | Serious | 1910.212(a)(1) | General requirements for all machines. Machine guarding. Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks. Examples of guarding methods are-barrier guards, two-hand tripping devices,electronic safety devices, etc. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation Issuance Date: 5/30/2014 Abatement Date: 7/02/2014 Close Status Date: 7/25/2014 (CLOSED) | \$7,000 |
| Navfac Lemoore - Naval Facilities Engineering Command Southwest Region Bldg. 750 Enterprise Ave. Lemoore Naval Air Station, CA 93246 | 4/7/2014 | Planned | Serious | 1910.215(b)(9) | Abrasive wheel machinery. Guarding of abrasive wheel machinery. Exposure adjustment. Safety guards of the types described in Subparagraphs (3) and (4) of this paragraph, where the operator stands in front of the opening, shall be constructed so that the peripheral protecting member can be adjusted to the constantly decreasing diameter of the wheel. The maximum angular exposure above the horizontal plane of the wheel spindle as specified in paragraphs (b)(3) and (4) of this section shall never be exceeded, and the distance between the wheel periphery and the adjustable tongue or the end of the peripheral member at the top shall never exceed one-fourth inch. (See Figures O-18, O-19, O-20, O-21, O-22, and O-23.) | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials | Citation Issunace Date: 5/30/2014 Abatement Date: UNKNOWN Close Status Date: 7/25/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|----------|---------|---------|--------------------|--|--|---|---------|
| Navfac Lemoore - Naval Facilities Engineering Command Southwest Region Bldg. 750 Enterprise Ave. Lemoore Naval Air Station, CA 93246 | 4/7/2014 | Planned | Other | 1910.1200(h)(3)(v) | Hazard Communication. Employee information and training. Training. Employee training shall include at least: | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 7, Hazardous Materials Control & Management; Chapter 6, Training | Citation Issuance Date: 5/30/2014 Abatement Date: 6/11/2014 Close Status Date: 7/25/2014 (CLOSED) | \$1,000 |
| Navsup Lemoore - Fleet Logisitcs Center SanDiego Bldg. 180 Reeves Blvd. Lemoore Naval Air Station, CA 93246 | 4/7/2014 | Planned | Serious | 1910.37(b)(4) | Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. If the direction of travel to the exit or exit discharge is not immediately apparent, signs must be posted along the exit access indicating the direction of travel to the nearest exit and exit discharge. Additionally, the line-of-sight to an exit sign must clearly be visible at all times. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 5/16/2014 Abatement Date: 6/19/2014 Close Status: (OPEN) | \$7,000 |
| Navsup Lemoore - Fleet Logisitcs Center SanDiego Bldg. 180 Reeves Blvd. Lemoore Naval Air Station, CA 93246 | 4/7/2014 | Planned | Serious | 1910.242(b) | Hand and portable powered tools and equipment, general. Compressed air used for cleaning. Compressed air shall not be used for cleaning purposes except where reduced to less than 30 p.s.i. and then only with effective chip guarding and personal protective equipment. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 5/16/2014 Abatement Date: 5/19/2014 Close Status: (OPEN) | \$7,000 |
| Navsup Lemoore - Fleet Logisitcs Center SanDiego Bldg. 180 Reeves Blvd. Lemoore Naval Air Station, CA 93246 | 4/7/2014 | Planned | Other | 1910.178(l)(6) | Powered industrial trucks. Operator training. Certification. The employer shall certify that each operator has been trained and evaluated as required by this paragraph (l). The certification shall include the name of the operator, the date of the training, the date of the evaluation, and the identity of the person(s) performing the training or evaluation. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 6, Training | Citation Issuance Date: 5/16/2014 Abatement Date: 6/19/2014 Close Status: (OPEN) | \$1,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|---|-----------|---------|---------|----------------|--|---|--|---------|
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Serious | 1910.23(a)(2) | Guarding floor and wall openings and holes. "Protection for floor openings." Every ladderway floor opening or platform shall be guarded by a standard railing with standard toeboard on all exposed sides (except at entrance to opening), with the passage through the railing either provided with a swinging gate or so offset that a person cannot walk directly into the opening. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/28/2014 Abatement Date: 9/10/2014 Close Status: (OPEN) | \$7,000 |
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Serious | 1910.23(c)(1) | Guarding floor and wall openings and holes. "Protection of open-sided floors, platforms, and runways." Every open-sided floor or platform 4 feet or more above adjacent floor or ground level shall be guarded by a standard railing (or the equivalent as specified in paragraph (e)(3) of this section) on all open sides except where there is entrance to a ramp, stairway, or fixed ladder. The railing shall be provided with a toeboard wherever, beneath the open sides, | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/28/2014 Abatement Date: 9/10/2014 Close Status: (OPEN) | \$7,000 |
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Serious | 1910.37(a)(3) | Maintenance, safeguards, and operational features for exit routes. The danger to employees must be minimized. Exit routes must be free and unobstructed. No materials or equipment may be placed, either permanently or temporarily, within the exit route. The exit access must not go through a room that can be locked, such as a bathroom, to reach an exit or exit discharge, nor may it lead into a dead-end corridor. Stairs or a ramp must be provided where the exit route is not substantially level. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/28/2014 Abatement Date: 10/01/2014 Close Status: (OPEN) | \$7,000 |
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Serious | 1910.213(b)(3) | Woodworking machinery requirements. Machine controls and equipment. On applications where injury to the operator might result if motors were to restart after power failures, provision shall be made to prevent machines from automatically restarting upon restoration of power. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/28/2014 Abatement Date: 9/10/2014 Close Status: (OPEN) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|---|-----------|---------|---------|----------------|--|---|--|---------|
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Serious | 1910.213(c)(1) | Woodworking machinery requirements. Hand-fed ripsaws. Each circular hand-fed ripsaw shall be guarded by a hood which shall completely enclose that portion of the saw above the table and that portion of the saw above the material being cut. The hood and mounting shall be arranged so that the hood will automatically adjust itself to the thickness of and remain in contact with the material being cut but it shall not offer any considerable resistance to insertion of material to saw or to passage of the material being sawed. The hood shall be made of adequate strength to resist blows and strains incidental to reasonable operation, adjusting, and handling, and shall be so designed as to protect the operator from flying splinters and broken saw teeth. It shall be made of material that is soft enough so that it will be unlikely to cause tooth breakage. The hood shall be so mounted as to insure that its operation will be positive, reliable, and in true alignment with the saw; and the mounting shall be adequate in strength to resist any reasonable side thrust or other force tending to throw it out of line. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/28/2014 Abatement Date: 9/10/2014 Close Status: (OPEN) | \$7,000 |
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Serious | 1910.213(c)(3) | Woodworking machinery requirements. Hand-fed ripsaws. Each hand-fed circular ripsaw shall be provided with nonkickback fingers or dogs so located as to oppose the thrust or tendency of the saw to pick up the material or to throw it back toward the operator. They shall be designed to provide adequate holding power for all the thicknesses of materials being cut. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/28/2014 Abatement Date: 9/10/2014 Close Status: (OPEN) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|---|-----------|---------|---------|-----------------------|---|---|---|---------|
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Serious | 1910.242(b) | Hand and portable powered tools and equipment, general. Compressed air used for cleaning. Compressed air shall not be used for cleaning purposes except where reduced to less than 30 p.s.i. and then only with effective chip guarding and personal protective equipment. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/28/2014 Abatement Date: UNKNOWN Close Status: (OPEN) | \$7,000 |
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Serious | 1910.303(b)(2) | General. Examination, installation, and use of equipment -- Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/28/2014 Abatement Date: 9/10/2014 Close Status: (OPEN) | \$7,000 |
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Serious | 1910.304(b)(2) | Wiring design and protection. Branch circuits -- Receptacles and cord connectors. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/28/2014 Abatement Date: 9/10/2014 Close Status: (OPEN) | \$7,000 |
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Serious | 1910.304(g)(5) | Wiring design and protection. Grounding. Paragraphs (g)(1) through (g)(9) of this section contain grounding requirements for systems, circuits, and equipment. Grounding path. The path to ground from circuits, equipment, and enclosures shall be permanent, continuous, and effective. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/28/2014 Abatement Date: UNKNOWN Close Status: (OPEN) | \$7,000 |
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Serious | 1910.305(g)(1)(iv)(A) | Wiring methods, components, and equipment for general use. Flexible cords and cables -- Use of flexible cords and cables. Unless specifically permitted otherwise in paragraph (g)(1)(ii) of this section, flexible cords and cables may not be used: As a substitute for the fixed wiring of a structure; | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/28/2014 Abatement Date: 9/10/2014 Close Status: (OPEN) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|---|-----------|---------|---------|--------------------|--|---|---|---------|
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Serious | 1910.334(a)(2)(ii) | Use of equipment. Portable electric equipment. This paragraph applies to the use of cord and plug connected equipment, including flexible cord sets (extension cords). Visual inspection. If there is a defect or evidence of damage that might expose an employee to injury, the defective or damaged item shall be removed from service, and no employee may use it until repairs and tests necessary to render the equipment safe have been made. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/28/2014 Abatement Date: UNKNOWN Close Status: (OPEN) | \$7,000 |
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Other | 1904.40(a) | Providing records to government representatives. Basic requirement. When an authorized government representative asks for the records you keep under Part 1904, you must provide copies of the records within four (4) business hours. | OPNAVINST 5100.23G, Chapter 11, Inspections and investigations of Workplaces By Federal and State OSH Officials; OPNAVINST 5102.1D, Chapter 3, Record Keeping and Reporting | Citation Issuance Date: 8/28/2014 Abatement Date: UNKNOWN Close Status: (OPEN) | \$1,000 |
| Dept Of The Navy 110 Nnptc Circlenaval Weapons Station Charleston Goose Creek, SC 29445 | 5/13/2014 | Planned | Other | 1910.1200(f)(5)(i) | Hazard Communication. Labels and other forms of warning— Chemical manufacturers, importers, or distributors shall ensure that each container of hazardous chemicals leaving the workplace is labeled, tagged, or marked in accordance with this section in a manner which does not conflict with the requirements of the Hazardous Materials Transportation Act (49 U.S.C. 1801 et seq.) and regulations issued under that Act by the Department of Transportation. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 6, Training, Chapter 7, Hazardous Materials Control & Management (HMC & M) | Citation Issuance Date: 8/28/2014 Abatement Date: 9/10/2014 Close Status: (OPEN) | \$1,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|------------|----------------|----------------|-------------------|---|---|--|---------|
| United States Department Of The Navy - Naval Submarine Base Kings Bay 990 Uss Thomas Jefferson Dr. Kings Bay, GA 31547 | 6/10/2014 | Planned | Serious | 1910.141(c)(1)(i) | Sanitation. General. Except as otherwise indicated in this paragraph (c)(1)(i), toilet facilities, in toilet rooms separate for each sex, shall be provided in all places of employment in accordance with table J-1 of this section. The number of facilities to be provided for each sex shall be based on the number of employees of that sex for whom the facilities are furnished. Where toilet rooms will be occupied by no more than one person at a time, can be locked from the inside, and contain at least one water closet, separate toilet rooms for each sex need not be provided. Where such single-occupancy rooms have more than one toilet facility, only one such facility in each toilet room shall be counted for the purpose of table J-1. | OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 8, Occupational Health | Citation Issuance Date: 07/18/2014 Abatement Date: 8/13/2014 Close Status: (OPEN) | \$7,000 |
| Dept Of The Navy Po Box 19001 Parris Island, SC 29905 | 06/30/2014 | Planned | Serious | 1910.23(e)(9) | Guarding floor and wall openings and holes. "Railing, toe boards, and cover specifications." Wall opening barriers (rails, rollers, picket fences, and half doors) shall be of such construction and mounting that, when in place at the opening, the barrier is capable of withstanding a load of at least 200 pounds applied in any direction (except upward) at any point on the top rail or corresponding member. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 9/12/2014 Abatement Date: 9/18/2014 Closed Status Date: 10/15/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy Po Box 19001 Parris Island, SC 29905 Parris Island, SC 29905 | 6/30/2014 | Planned | Serious | 1910.212(b) | General requirements for all machines. Anchoring fixed machinery. Machines designed for a fixed location shall be securely anchored to prevent walking or moving. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 9/12/2014 Abatement Date: 9/24/2014 Closed Status Date: 10/15/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|------------|---------|---------|----------------|---|---|--|---------|
| Dept Of The Navy Po Box 19001 Parris Island, SC 29905 | 06/30/2014 | Planned | Serious | 1910.213(h)(4) | Woodworking machinery requirements. Radial saws. Installation shall be in such a manner that the front end of the unit will be slightly higher than the rear, so as to cause the cutting head to return gently to the starting position when released by the operator. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 9/12/2014 Abatement Date: 9/24/2014 Closed Status Date: 10/15/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy Po Box 19001 Parris Island, SC 29905 | 6/30/2014 | Planned | Serious | 1910.215(a)(4) | Abrasive wheel machinery. General requirements. Work rests. On offhand grinding machines, work rests shall be used to support the work. They shall be of rigid construction and designed to be adjustable to compensate for wheel wear. Work rests shall be kept adjusted closely to the wheel with a maximum opening of one-eighth inch to prevent the work from being jammed between the wheel and the rest, which may cause wheel breakage. The work rest shall be securely clamped after each adjustment. The adjustment shall not be made with the wheel in motion. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 9/12/2014 Abatement Date: 9/24/2014 Closed Status Date: 10/15/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|-----------|---------|---------|----------------|---|---|--|---------|
| Dept Of The Navy Po Box 19001 Parris Island, SC 29905 | 6/30/2014 | Planned | Serious | 1910.215(b)(9) | Abrasive wheel machinery. Guarding of abrasive wheel machinery. Exposure adjustment. Safety guards of the types described in Subparagraphs (3) and (4) of this paragraph, where the operator stands in front of the opening, shall be constructed so that the peripheral protecting member can be adjusted to the constantly decreasing diameter of the wheel. The maximum angular exposure above the horizontal plane of the wheel spindle as specified in paragraphs (b)(3) and (4) of this section shall never be exceeded, and the distance between the wheel periphery and the adjustable tongue or the end of the peripheral member at the top shall never exceed one-fourth inch. (See Figures O-18, O-19, O-20, O-21, O-22, and O-23.) | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 9/12/2014 Abatement Date: 9/24/2014 Closed Status Date: 10/15/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy Po Box 19001 Parris Island, SC 29905 | 6/30/2014 | Planned | Serious | 1910.303(b)(2) | General. Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 9/12/2014 Abatement Date: 9/24/2014 Closed Status Date: 10/15/2014 (CLOSED) | \$7,000 |
| Dept Of The Navy Po Box 19001 Parris Island, SC 29905 | 6/30/2014 | Planned | Serious | 1910.304(g)(5) | Wiring design and protection. Grounding. Grounding path. The path to ground from circuits, equipment, and enclosures shall be permanent, continuous, and effective. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 9/12/2014 Abatement Date: 9/24/2014 Closed Status Date: 10/15/2014 (CLOSED) | \$7,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|-----------|---------|---------|-----------------------|--|--|--|---------|
| Navy Exchange Smokey Point Auto Shop 13928 45th Avenue Ne Marysville, WA 98271 | 7/15/2014 | Planned | Other | 1910.134(c)(2)(i) | Respiratory Protection. Respiratory protection program. Where respirator use is not required: An employer may provide respirators at the request of employees or permit employees to use their own respirators, if the employer determines that such respirator use will not in itself create a hazard. If the employer determines that any voluntary respirator use is permissible, the employer shall provide the respirator users with the information contained in Appendix D to this section ("Information for Employees Using Respirators When Not Required Under the Standard"); | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 15, Respiratory Protection; Chapter 20, Personal Protective Equipment | Citation Issuance Date: 8/5/2014 Abatement Date: 9/7/2014 Closed Status Date: 8/27/2014 (CLOSED) | \$1,000 |
| Navy Exchange Smokey Point Auto Shop 13928 45th Avenue Ne Marysville, WA 98271 | 7/15/2014 | Planned | Serious | 1910.305(g)(1)(iv)(A) | Wiring methods, components, and equipment for general use. Flexible cords and cables -- Use of flexible cords and cables. Unless specifically permitted otherwise in paragraph (g)(1)(ii) of this section, flexible cords and cables may not be used: As a substitute for the fixed wiring of a structure; | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/5/2014 Abatement Date: 9/22/2014 Closed Status Date: 8/27/2014 (CLOSED) | \$7,000 |
| Navy Exchange Smokey Point Auto Shop 13928 45th Avenue Ne Marysville, WA 98271 | 7/15/2014 | Planned | Other | 1910.37(b)(2) | Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each exit must be clearly visible and marked by a sign reading "Exit." | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/5/2014 Abatement Date: 9/22/2014 Closed Status Date: 8/27/2014 (CLOSED) | \$1,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|---|-----------|---------|-------|--------------------|--|---|---|---------|
| Navy Exchange Smokey Point Auto Shop 13928 45th Avenue Ne Marysville, WA 98271 | 7/15/2014 | Planned | Other | 1910.37(b)(4) | Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. If the direction of travel to the exit or exit discharge is not immediately apparent, signs must be posted along the exit access indicating the direction of travel to the nearest exit and exit discharge. Additionally, the line-of-sight to an exit sign must clearly be visible at all times. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/5/2014 Abatement Date: 9/22/2014 Closed Status Date: 8/27/2014 (CLOSED) | \$1,000 |
| Navy Exchange Smokey Point Auto Shop 13928 45th Avenue Ne Marysville, WA 98271 | 7/15/2014 | Planned | Other | 1910.37(b)(5) | Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each doorway or passage along an exit access that could be mistaken for an exit must be marked "Not an Exit" or similar designation, or be identified by a sign indicating its actual use (e.g., closet). | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/5/2014 Abatement Date: 9/22/2014 Closed Status Date: 8/27/2014 (CLOSED) | \$1,000 |
| Navy Exchange Smokey Point Auto Shop 13928 45th Avenue Ne Marysville, WA 98271 | 7/15/2014 | Planned | Other | 1910.244(a)(1)(ii) | Other portable tools and equipment. Jacks - Loading and marking. The rated load shall be legibly and permanently marked in a prominent location on the jack by casting, stamping, or other suitable means. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 8/5/2014 Abatement Date: 9/22/2014 Closed Status Date: 8/27/2014 (CLOSED) | \$1,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|-----------|-----------|---------|--------------------|---|---|---|---------|
| Naval Facilities Engineering Command, Hawaii 400 Marshall Road Pearl Harbor, HI 96860 | 7/24/2014 | Complaint | Serious | 1910.147(c)(4)(ii) | The control of hazardous energy (lockout/tagout). General - Energy control procedure, The procedures shall clearly and specifically outline the scope, purpose, authorization, rules, and techniques to be utilized for the control of hazardous energy, and the means to enforce compliance including, but not limited to, the following: A specific statement of the intended use of the procedure; Specific procedural steps for shutting down, isolating, blocking and securing machines or equipment to control hazardous energy; Specific procedural steps for the placement, removal and transfer of lockout devices or tagout devices and the responsibility for them; and Specific requirements for testing a machine or equipment to determine and verify the effectiveness of lockout devices, tagout devices, and other energy control measures. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter, 24, Energy Control Program (Lockout/Tagout) | Citation Issuance Date: 9/17/2014 Abatement Date: 10/22/2014 Closed Status Date: 10/21/2014 (CLOSED) | \$7,000 |
| Naval Facilities Engineering Command, Hawaii 400 Marshall Road Pearl Harbor, HI 96860 | 7/24/2014 | Complaint | Serious | 1910.219(c)(2)(i) | Mechanical power-transmission apparatus. Shafting - Guarding horizontal shafting. All exposed parts of horizontal shafting seven (7) feet or less from floor or working platform, excepting runways used exclusively for oiling, or running adjustments, shall be protected by a stationary casing enclosing shafting completely or by a trough enclosing sides and top or sides and bottom of shafting as location requires. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 9/17/2014 Abatement Date: 10/2/2014 Closed Status Date: 10/21/2014 (CLOSED) | \$7,000 |
| Naval Support Activity Crane 300 Highway 361 Crane, IN 47522 | 8/5/2014 | Complaint | Other | 1904.29(b)(1) | Recordkeeping Forms and Recording Criteria. Implementation. What do I need to do to complete the OSHA 300 Log? You must enter information about your business at the top of the OSHA 300 Log, enter a one or two line description for each recordable injury or illness, and summarize this information on the OSHA 300-A at the end of the year. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; OPNAVINST 5102.1D, Chapter 3, Record Keeping and Reporting | Citation Issuance Date: 10/16/2014 Abatement date: 11/4/2014 Closed Status Date: 11/12/2014 (CLOSED) | 1,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|----------|-----------|-------|---------------|---|---|--|---------|
| Naval Special Warfare Group 1 Indoor Shooting Range 3632 Guadalcanal Rd. Bldg. 625 Coronado, CA 92178 | 8/6/2014 | Complaint | Other | 1910.95(c)(1) | Occupational noise exposure. "Hearing conservation program." The employer shall administer a continuing, effective hearing conservation program, as described in paragraphs (c) through (o) of this section, whenever employee noise exposures equal or exceed an 8-hour time-weighted average sound level (TWA) of 85 decibels measured on the A scale (slow response) or, equivalently, a dose of fifty percent. For purposes of the hearing conservation program, employee noise exposures shall be computed in accordance with appendix A and Table G-16a, and without regard to any attenuation provided by the use of personal protective equipment. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 18 Hearing Conservation and Noise Abatement; | Citation Issuance Date: 12/08/2014 Informal Settlement Date: 02/02/2015 Abatement Date: 03/04/2015 | \$1,000 |
| Naval Special Warfare Group 1 Indoor Shooting Range 3632 Guadalcanal Rd. Bldg. 625 Coronado, CA 92178 | 8/6/2014 | Complaint | Other | 1910.95(g)(6) | Occupational noise exposure. "Audiometric testing program." "Annual audiogram." At least annually after obtaining the baseline audiogram, the employer shall obtain a new audiogram for each employee exposed at or above an 8-hour time-weighted average of 85 decibels. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 18 Hearing Conservation and Noise Abatement; | Citation Issuance Date: 12/08/2014 Informal Settlement Date: 02/02/2015 Abatement Date: 03/04/2015 | \$1,000 |
| Naval Special Warfare Group 1 Indoor Shooting Range 3632 Guadalcanal Rd. Bldg. 625 Coronado, CA 92178 | 8/6/2014 | Complaint | Other | 1910.95(k)(2) | Occupational noise exposure. "Training program." The training program shall be repeated annually for each employee included in the hearing conservation program. Information provided in the training program shall be updated to be consistent with changes in protective equipment and work processes. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 18 Hearing Conservation and Noise Abatement; | Citation Issuance Date: 12/08/2014 Informal Settlement Date: 02/02/2015 Abatement Date: 03/04/2015 | \$1,000 |

OSHA CITATIONS DON THRU 4TH QUARTER
FY2014

| | | | | | | | | |
|--|----------------|--------------|---------------|-----------------------|--|---|--|---------|
| Naval Special Warfare Group 1 Indoor Shooting Range 3632 Guadalcanal Rd. Bldg. 625 Coronado, CA 92178 | 8/6/2014 | Complaint | Serious | 1910.141(g)(2) | Sanitation. Consumption of food and beverages on the premises. Eating and drinking areas. No employee shall be allowed to consume food or beverages in a toilet room nor in any area exposed to a toxic material. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 12/08/2014 Informal Settlement Date: 02/02/2015 Abatement Date: 03/19/2015 | \$7,000 |
| Naval Special Warfare Group 1 Indoor Shooting Range 3632 Guadalcanal Rd. Bldg. 625 Coronado, CA 92178 | 8/6/2014 | Complaint | Serious | 1910.141(g)(4) | Sanitation. Consumption of food and beverages on the premises. Sanitary storage. No food or beverages shall be stored in toilet rooms or in an area exposed to a toxic material. | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards | Citation Issuance Date: 12/08/2014 Informal Settlement Date: 02/02/2015 Abatement Date: 03/19/2015 | \$7,000 |
| Naval Special Warfare Group 1 Indoor Shooting Range 3632 Guadalcanal Rd. Bldg. 625 Coronado, CA 92178 | 8/6/2014 | Complaint | Other | 1910.1025(j)(3)(i)(C) | Lead. Medical surveillance - Medical examinations and consultations. Frequency. The employer shall make available medical examinations and consultations to each employee covered under paragraph (j)(1)(i) of this section on the following schedule: As soon as possible, upon notification by an employee either that the employee has developed signs or symptoms commonly associated with lead intoxication, that the employee desires medical advice concerning the effects of current or past exposure to lead on the employee's ability to procreate a healthy child, or that the employee has demonstrated difficulty in breathing during a respirator fitting test or during use; | OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 21 Lead; Chapter 29, Occupational Reproductive Hazards; Chapter 8, Occupational Health | Citation Issuance Date: 12/08/2014 Informal Settlement Date: 02/02/2015 Abatement Date: 03/04/2015 | \$1,000 |
| | | | | | | | | |
| TOTAL | SERIOUS | OTHER | REPEAT | | | | | |
| 89 | 67 | 22 | 0 | | | | | |